

Index

American Journal of Audiology: A Journal of Clinical Practice Index to Volumes 7 and 8, 1998-1999

Author Index	153
Subject Index	154
Title Index	156
Department Index	156

Author Index

Arehart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S. State of the states: The status of universal newborn hearing screening, assessment, and intervention systems in 16 states, 7(2), 101-114

Arehole, S. Letter to the editor, 7(1), 48-49

ASHA Ad Hoc Committee on Hearing Aid Selection and Fitting. Perspective: Guidelines for hearing aid fitting for adults, 7(1), 5-13

Barrett, K. A., *See* Pyncheon et al., 7(2), 45-49

Bauch, C. D., *See* Scott et al., 8(2), 101-105

Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D. Penetrating injury to the brainstem after a nailgun accident: A case study, 8(1), 57-64

Brown, A. S., *See* Arehart, K. H., 7(2), 101-114

Byrne, D. Hearing aid clinical trials: Specific benefits need specific measures, 7(1), 17-19

Champlin, C. A., *See* Martin et al., 7(1), 39-44

Chanaud, R. C., *See* Harris & Chanaud, 7(2), 61-72

Chermak, G., *See* Schow & Chermak, 8(2), 137-142

Clark-Lewis, S., *See* Johnson et al., 7(2), 26-31

Clayton, E. W., *See* Tharpe & Clayton, 7(1), 47-48

Cord, M. T., *See* Walden et al., 7(2), 85-100; Walden et al., 8(1), 65-78

Cummings, K. J., *See* Turner & Cummings, 8(1), 47-56

Dale, A. J. D., *See* Bauch et al., 8(1), 57-64

Ellis, M. R., & Wynne, M. K. Measurements of loudness growth in 1/2-octave bands for children and adults with normal hearing, 8(1), 40-46

English, K., Mendel, L. L., Rojeski, T., & Hornak, J. Counseling in audiology, or

learning to listen: Pre- and post-measures from an audiology counseling course, 8(1), 34-39

Fabry, D. Editorial, 7(1), 2; 7(2), 2; 8(2), 82

Fagelson, M. A., & Martin, F. N. The occlusion effect and ear canal sound pressure level, 7(2), 50-54

Ferraro, J. A., & Tibbils, R. P. SP/AP area ratio in the diagnosis of Ménière's disease, 8(1), 21-28

Gabbard, S. A., *See* Arehart, K. H., 7(2), 101-114

Grandori, F., & Lutman, M. The European Consensus Development Conference on Neonatal Hearing Screening (Milan, May 15-16, 1998), 8(1), 19-20

Griffin, D., *See* Johnson et al., 7(2), 26-31

Haggard, R. S., & Primus, M. A. Parental perceptions of hearing loss classification in children, 8(2), 83-92

Harris, R. W., & Chanaud, R. C. A simplified method for calibrating a sound-level meter for use with a Brüel & Kjær artificial mastoid, 7(2), 61-72

Helfer, K. S. Continuing education in audiology: What do we want?, 8(1), 6-12

Herr, D. G., *See* Pyncheon et al., 7(2), 45-49

Hornak, J., *See* English et al., 8(1), 34-39

Huang, T. S., *See* Sun et al., 8(2), 128-136

Hurley, R. M., *See* Singer et al., 7(2), 73-84

Janoff, H. B., *See* Levy et al., 8(1), 29-33

Johnson, C. E., Clark-Lewis, S., & Griffin, D. Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital, 7(2), 26-31

Kaplan, F. S., *See* Levy et al., 8(1), 29-33

Kelsay, D. M. R., *See* Spencer et al., 7(1), 24-29

Kopun, J. G., & Stelmachowicz, P. G. Perceived communication difficulties of children with hearing loss, 7(1), 30-38

Kurtzer-White, E., *See* Luterman & Kurtzer-White, 8(1), 13-18

Lash, A. T., *See* Levy et al., 8(1), 29-33

Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S. Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva, 8(1), 29-33

Liu, S. Y., *See* Sun et al., 8(2), 128-136

Luterman, D., & Kurtzer-White, E. Identifying hearing loss: Parents' needs, 8(1), 13-18

Lutman, M., *See* Grandori & Lutman, 8(1), 19-20

Lybarger, S. F., Preves, D. A., & Olsen, W. O. A bit of history on standards for acoustical measurements of hearing aids, 8(1), 3-5

Lynn, S. G., *See* Bauch et al., 8(1), 57-64

Marchbanks, T. P., *See* Martin et al., 7(1), 39-44

Martin, F. N., *See* Fagelson & Martin, 7(2), 50-54

Martin, F. N., Champlin, C. A., & Marchbanks, T. P. A varying intensity story test for simulated hearing loss, 7(1), 39-44

McGuirt, W. T., & Smith, R. J. H. Connexin 26 as a cause of hereditary hearing loss, 8(2), 93-100

Mendel, L. L., *See* English et al., 8(1), 34-39

Moodie, K. S., *See* Seewald, R. C. et al., 8(2), 143-153

Mueller, H. G., *See* Ricketts & Mueller, 8(2), 117-127

Newman, C. W., & Sandbridge, S. A. Benefit from, satisfaction with, and cost-effectiveness of three different hearing aid technologies, 7(2), 115-128

Olsen, W. O., *See* Bauch et al., 8(1), 57-64; Lybarger et al., 8(1), 3-5; Scott et al., 8(2), 101-105

Olsen, W. O. Average speech levels and spectra in various speaking/listening conditions: A summary of the Pearson, Bennett, & Fidell (1977) Report, 7(2), 21-25

Olsen, W. O. Historical vignette: Pure-tone hearing loss and hearing loss for speech, 7(1), 14-16

Oyler, R. F. Reply to letter, 7(1), 49-50

Pavlovic, C. V., *See* Walden et al., 7(2), 85-100

Pavlovic, C. V. A., *See* Walden et al., 8(1), 65-78

Preece, J. P., *See* Singer et al., 7(2), 73-84

Preves, D. A., *See* Lybarger et al., 8(1), 3-5

Primus, M. A., *See* Haggard & Primus, 8(2), 83-92

Pynchon, K. A., Tucker, D. A., Ruth, R. A., Barrett, K. A., & Herr, D. G. Area-under-the-curve measure of the auditory middle latency response (AMLR) from birth to early adulthood, 7(2), 45-49

Reading, C. C., *See* Bauch et al., 8(1), 57-64

Ricketts, T., & Mueller, H. G. Making sense of directional microphone hearing aids, 8(2), 117-127

Rojek, T., *See* English et al., 8(1), 34-39

Rose, L. B. Letter to the editor, 7(1), 45-47

Roup, C. M., Wiley, T. L., Safady, S. H., & Stoppenbach, D. T. Tympanometric screening norms for adults, 7(2), 55-60

Ruth, R. A., *See* Pynchon et al., 7(2), 45-49

Safady, S. H., *See* Roup et al., 7(2), 55-60

Sandbridge, S. A., *See* Newman & Sandbridge, 7(2), 115-128

Schow, R. L., & Chermak, G. Implications from factor analysis for central auditory processing disorders, 8(2), 137-142

Scollie, S. D., *See* Seewald, R. C. et al., 8(2), 143-153

Scott, A. M., Bauch, C. D., & Olsen, W. O. Head trauma and mid-frequency hearing loss, 8(2), 101-105

Seewald, R. C., Moodie, K. S., Sinclair, S. T., & Scollie, S. D. Predictive validity of a procedure for pediatric hearing instrument fitting, 8(2), 143-153

Sinclair, S. T., *See* Seewald, R. C. et al., 8(2), 143-153

Singer, J., Hurley, R. M., & Preece, J. P. Effectiveness of central auditory processing tests with children, 7(2), 73-84

Skinner, M. W., *See* Sun et al., 8(2), 128-136

Smith, R. J. H., *See* McGuirt & Smith, 8(2), 93-100

Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H. Learning to use the cochlear implant: A child who beat the odds, 7(1), 24-29

Stelmachowicz, P. G., *See* Kopun & Stelmachowicz, 7(1), 30-38

Stoppenbach, D. T., *See* Roup et al., 7(2), 55-60

Sun, J. C., Skinner, M. W., Liu, S. Y., and Huang, T. S. Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels, 8(2), 128-136

Surr, R. K., *See* Walden et al., 7(2), 85-100

Walden et al., 8(1), 65-78

Teagle, H., *See* Spencer et al., 7(1), 24-29

Tharpe, A. M., & Clayton, E. W. Reply to letter, 7(1), 47-48

Thomson, V., *See* Arehart, K. H., 7(2), 101-114

Tibbils, R. P., *See* Ferraro & Tibbils, 8(1), 21-28

Tucker, D. A., *See* Pynchon et al., 7(2), 45-49

Turner, C. W., & Cummings, K. J. Speech audibility for listeners with high-frequency hearing loss, 8(1), 47-56

Turner, R. G. The hearing aid expert: Audiologist, dealer, or otolaryngologist?, 7(2), 5-20

Tye-Murray, N., *See* Spencer et al., 7(1), 24-29

Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V. A clinical trial of the ReSound BT2 Personal Hearing System, 7(2), 85-100

Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V. A clinical trial of the ReSound IC4 hearing device, 8(1), 65-78

Walden, B. Response to Byrne, 7(1), 20-23

Wiley, T. L., *See* Roup et al., 7(2), 55-60

Wynne, M. K., *See* Ellis & Wynne, 8(1), 40-46

Yacullo, W. S. Clinical masking in speech audiometry: A simplified approach, 8(2), 106-116

Yencer, K. A. The effects of auditory integration training for children with central auditory processing disorders, 7(2), 32-44

Yoshinaga-Itano, C., *See* Arehart, K. H., 7(2), 101-114

Subject Index

Hearing

Assessment of Hearing

Acoustical Instruments, Measurements, and Standards

A bit of history on standards for acoustical measurements of hearing aids. Lybarger, S. F., Preves, D. A., & Olsen, W. O., 8(1), 3-5

Bone Conduction

The occlusion effect and ear canal sound pressure level. Fagelson, M. A., & Martin, F. N., 7(2), 50-54

A simplified method of calibrating a sound-level meter for use with a Brüel & Kjær artificial mastoid, 7(2), 61-72

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

Diagnostic Audiology

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Diagnostic Audiology—General

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

Ménière's Disease

SP/AP area ratio in the diagnosis of Ménière's disease. Ferraro, J. A., & Tibbils, R. P., 8(1), 21-28

Speech

A varying intensity story test for simulated hearing loss. Martin, F. N., Champlin, C. A., & Marchbanks, T. P., 7(1), 39-44

Screening

Acoustic Immittance

Tympanometric Screening Norms for Adults. Roup, C. M., Wiley, T. L., Safady, S. H., & Stoppenbach, D. T., 7(2), 55-60

Connexin 26 as a cause of hereditary hearing loss. McGuirt, W. T., & Smith, R. J. H., 8(2), 93-100

The European Consensus Development Conference on Neonatal Hearing Screening (Milan, May 15-16, 1998). Grandori, F., & Lutman, M., 8(1), 19-20

Identifying hearing loss: Parents' needs. Luteran, D., & Kurtzer-White, E., 8(1), 13-18

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

State of the state: the status of universal newborn hearing screening, assessment, and intervention systems in 16 states. Arehart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S., 7(2), 101-114

Specific Diagnostic Techniques and Approaches

Acoustic Immittance

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Behavioral

Clinical masking in speech audiometry: A simplified approach. Yacullo, W. S., 8(2), 106-116

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Effectiveness of central auditory processing tests with children. Singer, J., Hurley, R. M., & Preece, J. P., 7(2), 73-84

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

Penetrating injury to the brainstem after a nail-gun accident: A case study. Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D., 8(1), 57-64

Electrophysiologic

Area-under-the-curve measure of the auditory middle latency response (AMLR) from birth to early adulthood. Pynchon, K. A., Tucker, D. A., Ruth, R. A., Barrett, K. A., & Herr, D. G., 7(2), 45-49

Masking

Clinical masking in speech audiometry: A simplified approach. Yacullo, W. S., 8(2), 106-116

Pediatric

Parental perceptions of hearing loss classification in children. Haggard, R. S., & Primus, M. A., 8(2), 83-92

Speech

Clinical masking in speech audiometry: A simplified approach. Yacullo, W. S., 8(2), 106-116

Intervention

Central Auditory Processing Disorders

The effects of auditory integration training for children with central auditory processing disorders. Yencer, K. A., 7(2), 32-44

Electrical Thresholds and Maximum Acceptable Loudness Levels

Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels. Sun, J. C., Skinner, M. W., Liu, S. Y., & Huang, T. S., 8(2), 128-136

Habitation, Rehabilitation, and Education

Counseling in Audiology, or Learning to Listen: Pre- and post-measures from an audiology counseling course. English, K., Mendel, L. L., Rojeski, T., & Hornak, J., 8(1), 34-39

The effects of auditory integration training for children with central auditory processing disorders. Yencer, K. A., 7(2), 32-44

Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31

Identifying hearing loss: Parents' needs. Luteran, D., & Kurtzer-White, E., 8(1), 13-18

Parental perceptions of hearing loss classification in children. Haggard, R. S., & Primus, M. A., 8(2), 83-92

Predictive value of a procedure for pediatric hearing instrument fitting. Seewald, R. C., Moodie, K. S., Sinclair, S. T., & Scollie, S. D., 8(2), 143-152

State of the state: the status of universal newborn hearing screening, assessment, and intervention systems in 16 states. Arehart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S., 7(2), 101-114

Head Trauma

Head trauma and mid-frequency hearing loss. Scott, A. M., Bauch, C. D., & Olsen, W. O., 8(2), 101-105

Hearing Aids and Other Prostheses

Benefit from, satisfaction with, and cost-effectiveness of three different hearing aid technologies. Newman, C. W., & Sandridge, S. A., 7(2), 115-128

A clinical trial for the ReSound IC4 hearing system. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 8(1), 65-78

A clinical trial of the ReSound BT2 Personal Hearing System. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 7(2), 85-100

Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels. Sun, J. C., Skinner, M. W., Liu, S. Y., & Huang, T. S., 8(2), 128-136

Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31

Hearing aid clinical trials: Specific benefits need specific measures. Byrne, D., 7(1), 17-19

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

Measurements of loudness growth in 1/2-octave bands for children and adults with normal hearing. Ellis, M. R., & Wynne, M. K., 8(1), 40-46

Perceived communication difficulties of children with hearing loss. Kopun, J. G., & Stelmachowicz, P. G., 7(1), 30-38

Response to Byrne. Walden, B., 7(1), 20-23

Speech audibility for listeners with high-frequency hearing loss. Turner, C. W., & Cummings, K. J., 8(1), 47-56

State of the state: the status of universal newborn hearing screening, assessment, and intervention systems in 16 states. Arehart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S., 7(2), 101-114

Hearing aids and other prostheses. Ricketts, T., & Mueller, H. G., 8(2), 117-127

Pseudohypacusis

A varying intensity story test for simulated hearing loss. Martin, F. N., Champlin, C. A., & Marchbanks, T. P., 7(1), 39-44

Radiologic Tests

Penetrating injury to the brainstem after a nail-gun accident: A case study. Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D., 8(1), 57-64

Speech Levels

Average speech levels and spectra in various speaking/listening conditions: A summary of the Pearson, Bennett, & Fidell (1977) report. Olsen, W. O., 7(2), 21-25

Nature of Hearing and its Disorders

Assessment of Hearing

Electrophysiologic

Penetrating injury to the brainstem after a nail-gun accident: A case study. Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D., 8(1), 57-64

Auditory and Other Otic Pathologies

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

Hearing Loss and Deafness

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Connexin 26 as a cause of hereditary hearing loss. McGuire, W. T., & Smith, R. J. H., 8(2), 93-100

Counseling in Audiology, or Learning to Listen: Pre- and post-measures from an audiology counseling course. English, K., Mendel, L. L., Rojeski, T., & Hornak, J., 8(1), 34-39

Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels. Sun, J. C., Skinner, M. W., Liu, S. Y., & Huang, T. S., 8(2), 128-136

Head trauma and mid-frequency hearing loss. Scott, A. M., Bauch, C. D., & Olsen, W. O., 8(2), 101-105

Historical vignette: Pure-tone hearing loss and hearing loss for speech. Olsen, W. O., 7(1), 14-16

Identifying hearing loss: Parents' needs. Luteran, D., & Kurtzer-White, E., 8(1), 13-18

Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29

Parental perceptions of hearing loss classification in children. Haggard, R. S., & Primus, M. A., 8(2), 83-92

Perceived communication difficulties of children with hearing loss. Kopun, J. G., & Stelmachowicz, P. G., 7(1), 30-38

Speech audibility for listeners with high-frequency hearing loss. Turner, C. W., & Cummings, K. J., 8(1), 47-56

A varying intensity story test for simulated hearing loss. Martin, F. N., Champlin, C. A., & Marchbanks, T. P., 7(1), 39-44

Normal Auditory Systems

Area-under-the-curve measure of the auditory middle latency response (AMLR) from birth to early adulthood. Pyncheon, K. A., Tucker, D. A., Ruth, R. A., Barrett, K. A., & Herr, D. G., 7(2), 45-49

Measurements of loudness growth in 1/2-octave bands for children and adults with normal hearing. Ellis, M. R., & Wynne, M. K., 8(1), 40-46

The occlusion effect and ear canal sound pressure level. Fagelson, M. A., & Martin, F. N., 7(2), 50-54

Language

Language Development in the Deaf
Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29

Professional and General Scientific Issues

Professional Affairs

Governmental and Professional Regulations

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

Professional Standards and Ethics

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

Service Provision Models and Problems

Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

Professional Training

Education and Continuing Education

Continuing education in audiology: What do we want? Helfer, K. S., 8(1), 6-12

Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

Speech

Development of Speech and Voice

Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29

Perception of Speech

Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29

Title Index

A clinical trial for the ReSound IC4 hearing system. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 8(1), 65-78

A clinical trial of the ReSound BT2 Personal Hearing System. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 7(2), 85-100

Area-under-the-curve measure of the auditory middle latency response (AMLR) from birth to early adulthood. Pyncheon, K. A., Tucker, D. A., Ruth, R. A., Barrett, K. A., & Herr, D. G., 7(2), 45-49

A simplified method of calibrating a sound-level meter for use with a Brüel & Kjær artificial mastoid. Harris, R. W., & Chanaud, R. C., 7(2), 61-72

A varying intensity story test for simulated hearing loss. Martin, F. N., Champlin, C. A., & Marchbanks, T. P., 7(1), 39-44

Average speech levels and spectra in various speaking/listening conditions: A summary of the Pearson, Bennett, & Fidell (1977) report. Olsen, W. O., 7(2), 21-25

Benefit from, satisfaction with, and cost-effectiveness of three different hearing aid technologies. Newman, C. W., & Sandridge, S. A., 7(2), 115-128

Clinical masking in speech audiometry: A simplified approach. Yacullo, W. W., 8(2), 106-116

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Connexin 26 as a cause of hereditary hearing loss. McGuirt, W. T., & Smith, R. J. H., 8(2), 93-100

Continuing education in audiology: What do we want? Helfer, K. S., 8(1), 6-12

Counseling in audiology, or learning to listen: Pre- and post-measures from an audiology counseling course. English, K., Mendel, L. L., Rojeski, T., & Hornak, J., 8(1), 34-39

Effectiveness of central auditory processing tests with children. Singer, J., Hurley, R. M., & Preece, J. P., 7(2), 73-84

Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels. Sun, J. C., Skinner, M. W., Liu, S. Y., & Huang, T. S., 8(2), 128-136

Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31

Head trauma and mid-frequency hearing loss. Scott, A. M., Bauch, C. D., & Olsen, W. O., 8(2), 101-105

Hearing aid clinical trials: Specific benefits need specific measures. Byrne, D., 7(1), 17-19

Historical vignette: Pure-tone hearing loss and hearing loss for speech. Olsen, W. O., 7(1), 14-16

Identifying hearing loss: Parents' needs. Luteran, D., & Kurtzer-White, E., 8(1), 13-18

Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142

Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29

Making sense of directional microphone hearing aids. Ricketts, T., & Mueller, H. G., 8(2), 117-127

Measurements of loudness growth in 1/2-octave bands for children and adults with normal hearing. Ellis, M. R., & Wynne, M. K., 8(1), 40-46

Parental perceptions of hearing loss classification in children. Haggard, R. S., & Primus, M. A., 8(2), 83-92

Penetrating injury to the brainstem after a nail-gun accident: A case study. Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D., 8(1), 57-64

Perceived communication difficulties of children with hearing loss. Kopun, J. G., & Stelmachowicz, P. G., 7(1), 30-38

Predictive validity of a procedure for pediatric hearing instrument fitting. Seewald, R. C., Moodie, K. S., Sinclair, S. T., & Scollie, S. D., 8(2), 143-153

Response to Byrne. Walden, B., 7(1), 20-23
SP/AP area ratio in the diagnosis of Ménière's disease. Ferraro, J. A., & Tibbels, R. P., 8(1), 21-28

Speech audibility for listeners with high-frequency hearing loss. Turner, R. G., & Cummings, K. J., 8(1), 47-56

State of the state: the status of universal newborn hearing screening, assessment, and intervention systems in 16 states. Arehart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S., 7(2), 101-114

The effects of auditory integration training for children with central auditory processing disorders. Yencer, K. A., 7(2), 32-44

The European Consensus Development Conference on Neonatal Hearing Screening (Milan, May 15-16, 1998). Grandori, F., & Lutman, M., 8(1), 19-20

The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20

The occlusion effect and ear canal sound pressure level. Fagelson, M. A., & Martin, F. N., 7(2), 50-54

Tympanometric Screening Norms for Adults. Roup, C. M., Wiley, T. L., Safady, S. H., & Stoppenbach, D. T., 7(2), 55-60

Department Index

Clinical Focus—Grand Rounds

Conductive hearing loss in individuals with fibrodysplasia ossificans progressiva. Levy, C. E., Lash, A. T., Janoff, H. B., & Kaplan, F. S., 8(1), 29-33

Connexin 26 as a cause of hereditary hearing loss. McGuirt, W. T., & Smith, R. J. H., 8(2), 93-100

- The effects of auditory integration training for children with central auditory processing disorders. Yencer, K. A., 7(2), 32-44
- The European Consensus Development Conference on Neonatal Hearing Screening (Milan, May 15-16, 1998). Grandori, F., & Lutman, M., 8(1), 19-20
- Head trauma and mid-frequency hearing loss. Scott, A. M., Bauch, C. D., & Olsen, W. O., 8(2), 101-105
- Learning to use the cochlear implant: A child who beat the odds. Spencer, L. J., Tye-Murray, N., Kelsay, D. M. R., & Teagle, H., 7(1), 24-29
- SP/AP area ratio in the diagnosis of Ménière's disease. Ferraro, J. A., & Tibbils, R. P., 8(1), 21-28

Editorials

- Fabry, D., 7(1), 2; 7(2), 2; 8(2), 82

Letters to the Editor

- Arehole, S., 8(1), 48-49
- Oyler, R. F., 8(1), 49-50
- Rose, L. B., 8(1), 45-47
- Tharpe, A. M., & Clayton, E. W., 8(1), 47-48

Perspective

- Average speech levels and spectra in various speaking/listening conditions: A summary of the Pearson, Bennett, & Fidell (1977) report. Olsen, W. O., 7(2), 21-25
- A bit of history on standards for acoustical measurements of hearing aids. Lybarger, S. F., Preves, D. A., & Olsen, W. O., 8(1), 3-5
- Continuing education in audiology: What do we want? Helfer, K. S., 8(1), 6-12
- Experience, attitudes, and competencies of audiologic support personnel in a rehabilitation hospital. Johnson, C. E., Clark-Lewis, S., & Griffin, D., 7(2), 26-31
- Guidelines for hearing aid fitting for adults. ASHA Ad Hoc Committee on Hearing Aid Selection and Fitting, 8(1), 5-13
- Historical vignette: Pure-tone hearing loss and hearing loss for speech. Olsen, W. O., 7(1), 14-16

- Identifying hearing loss: Parents' needs. Luteran, D., & Kurtzer-White, E., 8(1), 13-18
- Parental perceptions of hearing loss classification in children. Haggard, R. S., & Primus, M. A., 8(2), 83-92

Research and Technology—Articles

- Area-under-the-curve measure of the auditory middle latency response (AMLR) from birth to early adulthood. Pyncheon, K. A., Tucker, D. A., Ruth, R. A., Barrett, K. A., & Herr, D. G., 7(2), 45-49
- Benefit from, satisfaction with, and cost-effectiveness of three different hearing aid technologies. Newman, C. W., & Sandridge, S. A., 7(2), 115-128
- A clinical trial for the ReSound IC4 hearing system. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 8(1), 65-78
- A clinical trial of the ReSound BT2 Personal Hearing System. Walden, B. E., Surr, R. K., Cord, M. T., & Pavlovic, C. V., 7(2), 85-100
- Counseling in audiology, or learning to listen: Pre- and post-measures from an audiology counseling course. English, K., Mendel, L. L., Rojeski, T., & Hornak, J., 8(1), 34-39
- Effectiveness of central auditory processing tests with children. Singer, J., Hurley, R. M., & Preece, J. P., 7(2), 73-84
- Effect of speech processor program modifications on cochlear implant recipients' threshold and maximum acceptable loudness levels. Sun, J. C., Skinner, M. W., Liu, S. Y., & Huang, T. S., 8(2), 128-136
- Hearing aid clinical trials: Specific benefits need specific measures. Byrne, D., 7(1), 17-19
- Implications from factor analysis for central auditory processing disorders. Schow, R. L., & Chermak, G., 8(2), 137-142
- Measurements of loudness growth in 1/2-octave bands for children and adults with normal hearing. Ellis, M. R., & Wynne, M. K., 8(1), 40-46

- The occlusion effect and ear canal sound pressure level. Fagelson, M. A., & Martin, F. N., 7(2), 50-54
- Penetrating injury to the brainstem after a nail-gun accident: A case study. Bauch, C. D., Olsen, W. O., Lynn, S. G., Reading, C. C., & Dale, A. J. D., 8(1), 57-64
- Perceived communication difficulties of children with hearing loss. Kopun, J. G., & Stelmachowicz, P. G., 7(1), 30-38
- Predictive validity of a procedure for pediatric hearing instrument fitting. Seewald, R. C., Moodie, K. S., Sinclair, S. T., & Scollie, S. D., 8(2), 143-153
- Response to Byrne. Walden, B., 7(1), 20-23
- A simplified method of calibrating a sound-level meter for use with a Brüel & Kjær artificial mastoid. Harris, R. W., & Chanaud, R. C., 7(2), 61-72
- Speech audibility for listeners with high-frequency hearing loss. Turner, C. W., & Cummings, K. J., 8(1), 47-56
- State of the state: the status of universal newborn hearing screening, assessment, and intervention systems in 16 states. Archart, K. H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S. A., & Brown, A. S., 7(2), 101-114
- Tympanometric Screening Norms for Adults. Roup, C. M., Wiley, T. L., Safady, S. H., & Stoppenbach, D. T., 7(2), 55-60
- A varying intensity story test for simulated hearing loss. Martin, F. N., Champlin, C. A., & Marchbanks, T. P., 7(1), 39-44

Research and Technology—Short Course

- Clinical masking in speech audiometry: A simplified approach. Yacullo, W. W., 8(2), 106-116
- Making sense of directional microphone hearing aids. Ricketts, T., & Mueller, H. G., 8(2), 117-127

Viewpoint

- The hearing aid expert: Audiologist, dealer, or otolaryngologist? Turner, R. G., 7(2), 5-20